



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30627012-006
Batch#: 58
Batch Date: 12/31/19
Sample Size Received: 118 ml
Total Amount: 118 ml
Retail Product Size: 118 gram
Sample Density: 1.0 g/mL
Ordered: 06/19/23
Sampled: 06/19/23
Completed: 06/29/23
Sampling Method: SOP.T.20.010.FL

PASSED

Jun 29, 2023 | Medici Flavz LLC

12054 Central Avenue NE
Andover, MN, 55304, US



Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.004%

Total THC/Container : 4.82 mg



Total CBD
ND

Total CBD/Container : 0 mg



Total Cannabinoids
0.004%

Total Cannabinoids/Container : 4.82 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
mg/ml	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 1440

Weight:
2.1077g

Extraction date:
06/27/23 12:55:00

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061794POT

Instrument Used : DA-LC-007

Analyzed Date : 06/27/23 12:55:28

Reviewed On : 06/29/23 08:59:07

Batch Date : 06/27/23 10:20:56

Dilution : 60

Reagent : 061523.01; 062323.R04; 060723.50; 032123.11; 062323.R02

Consumables : 266969; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
06/29/23



Certificate of Analysis

PASSED

Medici Flavs LLC

12054 Central Avenue NE
Andover, MN, 55304, US
Telephone: 7634425108
Email: prolinsl@gmail.com

Sample : DA30627012-006

Batch# : 58

Sampled : 06/19/23

Ordered : 06/19/23

Sample Size Received : 118 ml

Total Amount : 118 ml

Completed : 06/29/23 Expires: 06/29/24

Sample Method : SOP Client Method

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOXYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.9517g	06/27/23 14:48:12	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrumental Batch		Reviewed On		06/29/23 11:51:42	
FENHEXAMID	0.01	ppm	3	PASS	ND	DA061810PES		Batch Date		06/27/23 10:43:55	
FENOXICARB	0.01	ppm	0.1	PASS	ND	Instrument Used					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	DA-LCMS-003 (PES)					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analized Date					
FLONICAMID	0.01	ppm	2	PASS	ND	N/A					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Dilution					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	: 250					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Reagent					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	: 062223.R12; 062623.R07; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Consumables					
MALATHION	0.01	ppm	2	PASS	ND	: 6697075-02					
METALAXYL	0.01	ppm	3	PASS	ND	Pipette					
METHIOCARB	0.01	ppm	0.1	PASS	ND	: DA-093; DA-094; DA-219					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	450, 585, 1440	0.9517g	N/A	450		
NALED	0.01	ppm	0.5	PASS	ND	Analysis Method					
						SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
						Instrumental Batch		Reviewed On		06/28/23 10:46:38	
						DA061812VOL		Batch Date		06/27/23 10:45:57	
						Instrument Used					
						DA-GCMS-001					
						Analized Date					
						: 06/27/23 15:52:14					
						Dilution					
						: 25					
						Reagent					
						: 061423.R23; 040521.11; 061223.R25; 061223.R24					
						Consumables					
						: 6697075-02; 14725401					
						Pipette					
						: DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/29/23



Certificate of Analysis

PASSED

Medici Flavs LLC

12054 Central Avenue NE
Andover, MN, 55304, US
Telephone: 7634425108
Email: prolins@gmail.com

Sample : DA30627012-006

Batch# : 58

Sampled : 06/19/23

Ordered : 06/19/23

Sample Size Received : 118 ml

Total Amount : 118 ml

Completed : 06/29/23 Expires: 06/29/24

Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0239g	Extraction date: 06/28/23 12:13:48	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 06/28/23 14:14:43
Analytical Batch : DA061822SOL	Batch Date : 06/27/23 13:57:16
Instrument Used : DA-GCMS-002	
Analyzed Date : 06/28/23 12:15:18	

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

Medici Flavs LLC

12054 Central Avenue NE
Andover, MN, 55304, US
Telephone: 7634425108
Email: prolinsj@gmail.com

Sample : DA30627012-006

Batch# : 57
Sampled : 06/19/23
Ordered : 06/19/23

Sample Size Received : 118 ml
Total Amount : 118 ml
Completed : 06/29/23 Expires: 06/29/24
Sample Method : SOP Client Method

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 585, 1440 Weight: 1.052g Extraction date: 06/27/23 12:12:40 Extracted by: 3702

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA061801MIC Reviewed On : 06/28/23 17:46:43
Batch Date : 06/27/23 10:34:12

Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
Analyzed Date : 06/27/23 12:14:12

Dilution : N/A
Reagent : 062323.R18; 092122.01; 092122.09; 050223.39
Consumables : 7562003039
Pipette : N/A

Analyzed by: 3390, 585, 1440 Weight: 1.052g Extraction date: 06/27/23 12:12:40 Extracted by: 3702, 3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA061819TYM Reviewed On : 06/29/23 14:24:54
Instrument Used : Incubator (25-27C) DA-096 Batch Date : 06/27/23 13:32:46
Analyzed Date : 06/27/23 15:01:21

Dilution : 10
Reagent : 060723.R45; 050223.39
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 Weight: 0.9517g Extraction date: N/A Extracted by: 450,4056

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA061811MYC Reviewed On : 06/29/23 11:21:47
Instrument Used : N/A Batch Date : 06/27/23 10:45:56
Analyzed Date : N/A

Dilution : 250
Reagent : 062223.R12; 062623.R07; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11
Consumables : 6697075-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2327g Extraction date: 06/27/23 12:34:55 Extracted by: 1022, 3619

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA061803HEA Reviewed On : 06/28/23 10:50:29
Instrument Used : DA-ICPMS-003 Batch Date : 06/27/23 10:36:24
Analyzed Date : 06/27/23 15:57:49

Dilution : 50
Reagent : 061523.R17; 062323.R15; 062623.R01; 062323.R13; 062323.R14; 061923.R19; 050923.01; 062223.R16
Consumables : 179436; 15021042; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

Medici Flavs LLC

12054 Central Avenue NE
Andover, MN, 55304, US
Telephone: 7634425108
Email: prollins@gmail.com

Sample : DA30627012-006

Batch# : 57
Sampled : 06/19/23
Ordered : 06/19/23

Sample Size Received : 118 ml
Total Amount : 118 ml
Completed : 06/29/23 Expires: 06/29/24
Sample Method : SOP Client Method

Page 5 of 5



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA061855FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 06/28/23 11:42:34
Reviewed On : 06/28/23 14:00:59
Batch Date : 06/28/23 11:33:36

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

