



**Certificate of Analysis**  
Compliance Test

Client Information:

**MEDICI FLAVS LLC**  
PO Box 161  
ANDOVER, MN 55304

Batch # 125  
Batch Date: 2024-02-02  
Extracted From: Hemp

Test Reg State: Florida

Production Facility: Medici Flavs LLC

Order # MED240202-010004  
Order Date: 2024-02-02  
Sample # AAFG649

Sampling Date: 2024-02-06  
Lab Batch Date: 2024-02-06  
Completion Date: 2024-02-09

Volume: 354 ml



Potency  
Tested

Product Image

Potency 10 - (LCMS)

Specimen Weight: 345000.000 mg

Tested

SOP13.030 (LCMS)

Potency Summary

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (µg/ml)	Result (µg/ml)
Delta-9 THC	8.000	2.98E-5	7.5E-5	29.690	0.002969
CBC	8.000	1.94E-6	7.5E-5	<LOQ	<LOQ
CBD	8.000	3.37E-7	7.5E-5	<LOQ	<LOQ
CBDA	8.000	7.78E-8	7.5E-5	<LOQ	<LOQ
CBDV	8.000	9.80E-8	7.5E-5	<LOQ	<LOQ
CBG	8.000	4.00E-7	7.5E-5	<LOQ	<LOQ
CBGA	8.000	4.71E-8	7.5E-5	<LOQ	<LOQ
CBN	8.000	1.25E-6	7.5E-5	<LOQ	<LOQ
THCA-A	8.000	1.51E-7	7.5E-5	<LOQ	<LOQ
THCV	8.000	1.24E-6	7.5E-5	<LOQ	<LOQ
Total Active CBD	8.000			<LOQ	<LOQ
Total Active THC	8.000			29.690	0.002969

Total Active THC	0.002969%	10.51mg	-	Total Active CBD	ND
Total CBG	-	ND	-	Total CBN	ND
Other Cannabinoids	-	ND	-	Total Cannabinoids	0.002969% 10.51mg

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THC = THC + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta8-THC + Delta9-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THC + CBL + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling. This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

